

Supplement
to
Catalog T





SUPPLEMENT TO CATALOGUE T



NOVEMBER, 1929

THE TRENTON POTTERIES COMPANY
TRENTON, NEW JERSEY

Sales Offices in
PHILADELPHIA, BOSTON
AND SAN FRANCISCO

National Exhibit Rooms
101 PARK AVENUE
NEW YORK CITY
ENTRANCE ON 41ST STREET

Export Office
115 BROAD STREET
NEW YORK CITY

THE TRENTON



POTTERIES CO.



Our Guarantee

*W*E make but one grade of ware—the best that can be produced—and sell it at reasonable prices. We sell no seconds or culls.

Our ware is guaranteed to be equal in quality and durability to any sanitary ware made in the world.

The TE-PE-CO Trade-mark is found on all goods manufactured by us and is your guarantee that you have received that for which you have paid.

THE TRENTON POTTERIES COMPANY
TRENTON, NEW JERSEY




Foreword

*T*HIS supplement illustrates and describes new designs that have been added to the "TE-PE-CO" Line since our Catalogue T was printed. It is intended to serve as a part of the book and should be kept on file with it.

Appearing so soon after the latest edition of our "Blue Book of Plumbing," it is evidence of our constant endeavor to meet every requirement in plumbing fixtures as such needs arise.

The fixtures illustrated herein, in combination with our complete line as shown in Catalogue T, all of which are available in many colors, afford the architect and plumber the widest latitude in providing beautiful as well as sanitary bathrooms, or other installation where plumbing fixtures are required.

THE TRENTON POTTERIES COMPANY



The "Gothian" Integral Trap Lavatory

(Covered by patents and patents pending)

The "Gothian" Integral Trap Lavatory introduces an entirely new mode in lavatory design. The most beautiful and sanitary lavatory of all time, it not only creates a new standard of beauty but also affords all the sanitary advantages of a wall-hung lavatory without the need or expense of the cumbersome brackets and china housings of the ordinary kind.

Suspended from the wall it gives a clear unobstructed floor space which greatly facilitates the cleaning thereof, and eliminates the unsightly metal work from beneath the bowl that ordinarily requires so much attention to keep in a polished and presentable condition.

The trap being integral with the bowl makes it an extremely simple and easy fixture for the plumber to install, thus reducing the installation cost of such a fixture to the minimum.

In addition to its integral trap feature the "Gothian" embodies the "Te-pe-co" Integral Nozzle and Mixing Chamber Supply Fixture, which eliminates all exposed metal from above the slab and provides for washing in a tempered and splashless stream of running water. It also includes the "Prudential" Direct Lift Waste, thus combining in one fixture an assemblage in lavatory equipment that has no equal.

**Plate No. 2081-T**

"Te-pe-co" Two-Fire Vitreous China "Gothian" Integral Trap Lavatory with Integral China Nozzle and Mixing Chamber, Overflow and Splash Lip; on Concealed Wall Hanger; fitted with "Revere" Compression Valves and "Prudential" Direct Lift Waste with China Knob and Escutcheon; $\frac{3}{8}$ -inch I. P. Size N. P. Brass Supplies with Screw-driver Angle Stops, Rough Brass Outlet Connection tapped for $1\frac{1}{2}$ -inch I. P., N. P. Brass Cleanout Plug, China Wall Escutcheons and Bolt Caps.

**Plate No. 2083-T**

"Te-pe-co" Two-Fire Vitreous China "Gothian" Integral Trap Lavatory with Integral China Nozzle and Mixing Chamber, Overflow and Splash Lip, on Concealed Wall Hanger; fitted with "Puritan" Compression Valves and "Prudential" Direct Lift Waste with All-White China Knob and Escutcheon; $\frac{3}{8}$ -inch I. P. Size N. P. Brass Supplies with Screw-driver Angle Stops, Rough Brass Outlet Connection Tapped for $1\frac{1}{2}$ -inch I. P., N. P. Brass Cleanout Plug, China Wall Escutcheons and Bolt Caps.

**Plate No. 2085-T**

"Te-pe-co" Two-Fire Vitreous China "Gothian" Integral Trap Lavatory with Integral China Nozzle and Mixing Chamber, Overflow and Splash Lip; on Concealed Wall Hanger; fitted with "Revere" Compression Valve, Combination Supply Fixture in Wall and "Prudential" Direct Lift Waste with China Knob and Escutcheon; Rough Brass Outlet Connection Tapped for $1\frac{1}{2}$ -inch I. P., N. P. Brass Cleanout Plug, China Wall Escutcheons and Bolt Caps.

Plate No.	2081-T	2083-T	2085-T
Size of lavatory (inches)	24 x 21	24 x 21	24 x 21
Center to center of supplies (inches)	12	12	12
Center of supplies to rim of lavatory (inches)	10	10	7
Center of valves to rim of lavatory (inches)	0	0	6
Center of trap to rim of lavatory (inches)	8 $\frac{5}{8}$	8 $\frac{5}{8}$	8 $\frac{5}{8}$



The "Princetonian" Lavatory



Plate No. 2113-T

The "Princetonian" Lavatory represents the highest development of the potter's art combined with the most advanced ideas of expert sanitarians. While void of ornamentation, it is, nevertheless, beautiful in its very simplicity and clean-cutness of line. Furthermore, its beauty is permanent because it is made of "Te-pe-co" Two-Fire Vitreous China, the most sanitary and durable material known to modern sanitation.

In this lavatory we have incorporated the "Te-pe-co" Integral China Nozzle and Mixing Chamber, which is the most salutary improvement that has ever been made in the design of lavatories. It not only enables one to wash in a running stream of tempered water, but also eliminates all exposed metal from above the slab. The valves and waste are encased in china and have the same permanent brilliancy of finish as the lavatory.

As shown below this lavatory can also be furnished with a combination supply and pop-up waste fixture with chromium plated brass handles and escutcheons.

Plate No. 2113-T

"Te-pe-co" Two Fire Vitreous China "Princetonian" Pedestal Lavatory with Square Bowl and Integral China Nozzle and Mixing Chamber, Overflow and Splash Lip; fitted with "Puritan" Compression Valves and "Prudential" Waste with All-White China Knob and Escutcheon, $\frac{3}{8}$ -inch I. P. Size N. P. Brass Supplies with Screw-driver Angle Stops, $1\frac{1}{4}$ -inch N. P. Cast Brass "P" Trap, China Wall Escutcheons and N. P. Brass Wall Brackets.

Plate No. 2117-T

"Te-pe-co" Two-Fire Vitreous China "Princetonian" Pedestal Lavatory with Square Bowl, Integral Overflow and Splash Lip; fitted with C. P. All-Brass Combination Supply and Pop-up Waste Fitting with Compression Valves, $\frac{3}{8}$ -inch I. P. Size C. P. Brass Supplies with Screw-driver Angle Stops, $1\frac{1}{4}$ -inch C. P. Cast Brass "P" Trap, C. P. Brass Wall Escutcheon and C. P. Brass Wall Brackets.



Plate No. 2117-T

Size of lavatory (inches)	30 x 24	27 x 22	24 x 20
Size of bowl (inches)	20 x 14	17 x 13	16 x 12
Height of rim from floor (inches)	31	31	31



The "Kingstonian" Lavatory

Distinctly modern in design the "Kingstonian" Lavatory is a pleasing variation from the usual plainness of ordinary fixtures.

Aside from its attractive appearance it offers every desirable sanitary feature, such as the quick-draining bowl, integral overflow, pop-up waste and splash lip.

Being made of "Te-pe-co" Vitreous China its surface is as stainless and impervious as the finest glass, but infinitely stronger.

Like all "Te-pe-co" Lavatories it can be furnished with either the all-white integral china nozzle supply fixture or chromium plated brass nozzle as shown here-with. While regularly furnished with the square bowl as shown, it is also made with the oval bowl for those who prefer greater slab surface.

Superb in both design and sanitary qualities it affords the utmost in beauty, utility and durability.



Plate No. 2123-T



Plate No. 2127-T

Plate No. 2123-T

"Te-pe-co" Two-Fire Vitreous China "Kingstonian" Pedestal Lavatory with Square Bowl and Integral China Nozzle and Mixing Chamber, Overflow and Splash Lip; fitted with "Puritan" Compression Valves and "Prudential" Waste with All-White China Knob and Escutcheon, $\frac{3}{8}$ -inch I. P. Size, C. P. Brass Supplies with Screw-driver Angle Stops, $1\frac{1}{4}$ -inch C. P. Cast Brass "P" Trap, China Wall Escutcheons and C. P. Brass Wall Brackets.

Plate No. 2127-T

"Te-pe-co" Two-Fire Vitreous China "Kingstonia" Pedestal Lavatory with Square Bowl Integral Overflow and Splash Lip; fitted with C. P. All-Brass Combination Supply and Pop-up Waste Fitting with Compression Valves, $\frac{3}{8}$ -inch I. P. Size C. P. Brass Supplies with Screw-driver Angle Stops, $1\frac{1}{4}$ -inch C. P. Cast Brass "P" Trap, C. P. Brass Wall Escutcheons, and C. P. Wall Brackets.

Size of lavatory (inches)	30 x 24	27 x 22	24 x 20
Size of bowl (inches)	20 x 14	17 x 13	16 x 12
Height of rim from floor (inches)	31	31	31



The "Trentonian" Lavatory



Plate No. 2131-T

The classic lines and chamfered edges of this lavatory, in pleasing harmony with the well-balanced proportions of its slab and pedestal, make it a fixture of charming simplicity and unusual beauty.

In combination with the newest creation in fittings that harmonize perfectly in design, it affords the most beautiful appointment for the purpose. When installed with the Trentonian Closet Combination on page 13, with which it corresponds in design, it adds a touch of elegance that will enhance the appearance of any bathroom.

As shown herewith it can be furnished with either the metal or integral china combination supply fixture which enables one to wash in a running stream of tempered water.

If desired in color it may also be furnished with the "Puritan" china handles and escutcheons to match, or in any combination of colors one may prefer.

Plate No. 2131-T

"Te-pe-co" Two-Fire Vitreous China "Trentonian" Pedestal Lavatory with Integral China Nozzle and Mixing Chamber, Overflow and Splash Lip; fitted throughout with "Artline" Chromium Plated Brass Fittings, including Compression Valves and Pop-up Waste, $\frac{3}{8}$ -inch I. P. Size Supplies with Cross-Arm Angle Stops, "P" Trap for $1\frac{1}{4}$ -inch I. P. and Wall Escutcheons, complete with C. P. Brass Wall Brackets.

Plate No. 2137-T

"Te-pe-co" Two-Fire Vitreous China "Trentonia" Pedestal Lavatory with Integral Overflow and Splash Lip; fitted throughout with "Artline" Chromium Plated Brass Fittings, including Compression Valves with Combination Supply and Pop-up Waste Fixture, $\frac{3}{8}$ -inch I. P. Size Supplies with Cross-Arm Angle Stops, "P" Trap for $1\frac{1}{4}$ -inch I. P. and Wall Escutcheons, complete with C. P. Brass Wall Brackets.



Plate No. 2137-T

Size of lavatory (inches)	27 x 22
Size of bowl (inches)	17 x 13
Height of rim from floor (inches)	31



The "Artonian" Lavatory

The "Artonian" Lavatory is a harmonious combination of the practical with the utmost in lasting beauty. Its spacious bowl and slab surface, together with its integral china nozzle supply fixture in combination with its pop-up waste feature, affords the greatest convenience and meets every sanitary requirement of a lavatory.

In contrast with the ordinary fixtures of today, the excellent design of this lavatory is an outstanding example of the trend in modern plumbing to create fixtures that are as beautiful as they are practical. The sparkling luster of its chromium-plated fittings and mirror-like surface in delicate tints of pink, green, yellow, lavender, ivory, blue or white accentuate its beauty of form and blend delightfully with whatever wall and floor treatment one may desire.

The fine merging of lines in its supply and waste fittings, in perfect harmony with the classic lines which grace its leg and bracket supports, imparts a touch of elegance and beauty that will enhance the appearance of any bathroom.



Plate No. 2181-T

Plate No. 2181-T

"Te-pe-co" Two-Fire Vitreous China "Artonian" Lavatory with Integral Nozzle and Mixing Chamber, Overflow and Splash Lip; on "Artline" Chromium Plated Legs and Brackets; fitted throughout with "Artline" Chromium Plated Brass Fittings, including Compression Valves and Pop-up Waste, $\frac{3}{8}$ -inch I. P. Size Supplies with Cross-Arm Angle Stops, "P" Trap for $1\frac{1}{4}$ -inch I. P., and Wall Escutcheons.



Plate No. 2186-T

Plate No. 2186-T

"Te-pe-co" Two-Fire Vitreous China "Artonia" Lavatory with Integral Overflow and Splash Lip; on "Artline" Chromium Plated Legs and Brackets; fitted throughout with "Artline" Chromium Plated Brass Fittings, including Compression Valves with Combination Supply and Pop-up Waste Fixture, $\frac{3}{8}$ -inch I. P. Size Supplies with Cross-Arm Angle Stops, "P" Trap for $1\frac{1}{4}$ -inch I. P., and Wall Escutcheons.

Size of lavatory (inches)	33 x 24	30 x 24	27 x 22
Size of bowl (inches)	20 x 14	20 x 14	17 x 13
Height from floor (inches)	31	31	31



Plate No. 2252-T

Plate No. 2252-T

"Te-pe-co" Two-Fire Vitreous China "Ansonian" Square Bowl Center Leg Lavatory with Integral China Nozzle and Mixing Chamber, Overflow and Splash Lip; fitted with Chromium Plated All Brass Compression Valves and Pop-up Waste, $\frac{3}{8}$ -inch I. P. Size C. P. Brass Supplies with Screw-driver Angle Stops, $1\frac{1}{4}$ -inch C. P. Cast Brass "P" Trap, C. P. Brass Wall Escutcheons and C. P. Brass Wall Brackets.

Plate No. 2254-T

"Te-pe-co" Two-Fire Vitreous China "Cambrian" Square Bowl Center Leg Lavatory with Integral China Nozzle and Mixing Chamber, Overflow and Splash Lip; fitted with "Puritan" Compression Valves and "Prudential" Waste with All-White China Knob and Escutcheon, $\frac{3}{8}$ -inch I. P. Size C. P. Brass Supplies with Screw-driver Angle Stops, $1\frac{1}{4}$ -inch C. P. Cast Brass "P" Trap, China Wall Escutcheons and C. P. Brass Wall Brackets.

Plate No. 2255-T

"Te-pe-co" Two-Fire Vitreous China "Cambrian" Square Bowl Center Leg Lavatory with Integral China Nozzle and Mixing Chamber, Overflow and Splash Lip; fitted with Chromium Plated All Brass Compression Valves and Pop-up Waste, $\frac{3}{8}$ -inch I. P. Size C. P. Brass Supplies with Screw-driver Angle Stops, $1\frac{1}{4}$ -inch C. P. Cast Brass "P" Trap, C. P. Wall Escutcheons and C. P. Brass Wall Brackets.



Plate No. 2254-T



Plate No. 2255-T

Plate No.	2252-T				2254-T				2255-T			
Length of lavatory (inches)	30	27	24	20	30	27	24	20	30	27	24	20
Width of lavatory (inches)	24	22	20	18	24	22	20	18	24	22	20	18

**Plate No. 2258-T**

"Te-pe-co" Two-Fire Vitreous China "Ansonia" Square Bowl Center Leg Lavatory with Integral Overflow and Splash Lip; fitted with Chromium Plated All Brass Combination Supply and Pop-up Waste Fitting with Compression Valves, $\frac{3}{8}$ -inch I. P. Size C. P. Brass Supplies with Screw-driver Angle Stops, $1\frac{1}{4}$ -inch C. P. Cast Brass "P" Trap, C. P. Brass Wall Escutcheons and C. P. Brass Wall Brackets.

Plate No. 2259-T

"Te-pe-co" Two-Fire Vitreous China "Cambria" Square Bowl Center Leg Lavatory with Integral Overflow and Splash Lip; fitted with Chromium Plated All Brass Combination Supply and Pop-up Waste Fitting with Compression Valves, $\frac{3}{8}$ -inch I. P. Size C. P. Brass Supplies with Screw-driver Angle Stops, $1\frac{1}{4}$ -inch C. P. Cast Brass "P" Trap, C. P. Brass Wall Escutcheons and C. P. Brass Wall Brackets.

Plate No. 2263-T

"Te-pe-co" Two-Fire Vitreous China "Adelphian" Oval Bowl Center Leg Lavatory with Integral China Nozzle and Mixing Chamber, Overflow and Splash Lip; fitted with "Puritan" Compression Valves and Prudential Waste with All-White China Knob and Escutcheon, $\frac{3}{8}$ -inch I. P. Size C. P. Brass Supplies with Screw-driver Angle Stops, $1\frac{1}{4}$ -inch C. P. Cast Brass "P" Trap, China Wall Escutcheons and C. P. Wall Brackets.

**Plate No. 2258-T****Plate No. 2259-T****Plate No. 2263-T****Plate No.**

Length of lavatory (inches)

Width of lavatory (inches)

2258-T

30	27	24	20
24	22	20	18

2259-T

30	27	24	20
24	22	20	18

2263-T

30	27	24	20
24	22	20	18



Plate No. 2323-T

"Te-pe-co" Two-Fire Vitreous China "Peorian" Lavatory with Integral Back, Integral China Nozzle and Mixing Chamber, Overflow and Splash Lip, on Concealed Bar Hanger and N. P. Wall Brackets; fitted with "Puritan" Valves and "Prudential" Waste with All-White China Knob and Escutcheon, $\frac{3}{8}$ -inch I. P. Size N. P. Brass Supplies with Screw-driver Angle Stops, $1\frac{1}{4}$ -inch N. P. Cast Brass "P" Trap, China Wall Escutcheons.



Plate No. 2334-T

"Te-pe-co" Two-Fire Vitreous China "Elvia" Lavatory with Integral Back, Overflow and Splash Lip; on Concealed Bar Hanger and C. P. Brass Wall Brackets; fitted with C. P. Brass Self-Closing Faucets, "Prudential" Waste with China Knob, $\frac{3}{8}$ -inch I. P. Size C. P. Brass Supplies with Screw-driver Angle Stops, $1\frac{1}{4}$ -inch C. P. Cast Brass "P" Trap, China Wall Escutcheons.



Plate No. 2354-T

"Te-pe-co" Two-Fire Vitreous China "Utopia" Lavatory with Integral Back, Overflow and Splash Lip; on Concealed Clip Hangers; fitted with N. P. Brass Universal Supply Fixture, N. P. Pop-up Waste $\frac{3}{8}$ -inch I. P. Size N. P. Brass Supplies with Screw-driver Angle Stops, $1\frac{1}{4}$ -inch N. P. Cast Brass "P" Trap, China Wall Escutcheons.

Plate No.

Size of lavatory (inches)
Size of bowl (inches)

22 x 20 20 x 18
14 x 11 14 x 11

2323-T

Plate No. 2357-T

"Te-pe-co" Two-Fire Vitreous China "Utopia" Lavatory with Integral Back, Overflow and Splash Lip; on Concealed Clip Hangers; fitted with C. P. Brass Self-Closing Faucets, "Prudential" Waste with China Knob, $\frac{3}{8}$ -inch I. P. Size C. P. Brass Supplies with Screw-driver Angle Stops, $1\frac{1}{4}$ -inch C. P. Cast Brass "P" Trap, China Wall Escutcheons.

2334-T**2354-T****2357-T**

24 x 21 20 x 18½ 18 x 15 18 x 15
16 x 12 14 x 11 15 x 9½ 15 x 9½



"Si-wel-clo" Closet Combination



Plate No. 3005-T

In the Hygienic Si-wel-clo we have perfected a closet combination that, in quietness of operation and general sanitation, is vastly superior to any closet on the market. Aside from its quiet operation the Hygienic Si-wel-clo has a specially constructed rim and seat which affords the most comfortable, hygienic and sanitary seat that can be provided. These exclusive features, combined with many other refinements in design, make it the finest closet combination known to modern-day sanitation.

Plate No. 3005-T

"Te-pe-co" Two-Fire Vitreous China "Hygienic Si-wel-clo" E-Zee Seat Closet and Straight-Front Tank with Bottom Pull Curtin Valve and Back Supply "Curtin" Float Valve with Integral Shut-Off; Flush Connection with China Casing; All-White E-Zee Seat and Lid; China Bolt Caps.

For Supply to Floor Specify Plate No. 3007-T

"Trentonian" Closet Combination

Supreme in sanitary excellence and graced with lines of rare beauty, the "Trentonian" Closet Combination is an outstanding example of the finest closet construction. Designed to harmonize with the lines of the "Trentonian" lavatory and embodying the same mechanical construction as the "Welling" Closet, it is a harmonious combination of beauty with the utmost in closet efficiency.

Plate No. 3122-T

"Te-pe-co" Two-Fire Vitreous China "Trentonian" Syphon Jet Closet and Large Eight-Gallon "Trentonian" Tank with "Curtin" Flush Valve, "Trentonian" Lever and Bottom Supply "Curtin" Float Valve with Integral Shut-Off; complete with $\frac{3}{8}$ -inch Full I. P. Size and Weight N. P. Brass Supply Pipe to Wall and China Escutcheon; Flush Connection with China Casing; "Te-pe-co" All-White Seat; China Bolt Caps.

For Concealed Back Supply Tank, Specify Plate No. 3124-T



Plate No. 3122-T

Plate No.	3005-T	3122-T
Length from wall to front (inches)	30	28 $\frac{1}{4}$
Width overall of tank (inches)	22	21 $\frac{5}{8}$
Height top of tank to floor (inches)	39 $\frac{1}{2}$	38 $\frac{3}{4}$



"Weltonian" Closet Combination



Plate No. 3131-T

The "Weltonian" closet is our standard type of syphon jet closet construction to which we have applied an elongated bowl and square foot. These features, combined with its oversize outlet passage and strong, thorough action, make it an outstanding example of the finest closet construction.

Plate No. 3131-T

"Te-pe-co" Two-Fire Vitreous China "Weltonian" Syphon Jet Closet and "Shelton" Tank with Monitor Flush Valve, Float Valve and Upper Left-Hand All-China Lever; Complete with N. P. Brass No. 14 Gauge Supply Pipe threaded $\frac{3}{8}$ -inch I. P. Size with Screw-driver Angle Stop and China Wall Escutcheons; Flush Connection with China Casing; Extended Front White Seat and Lid with Chromium Plated Hinge, China Bolt Caps.

"Welton" Closet Combination

Distinctive in design and embodying the most improved form of closet construction the "Welton" Closet Combination meets every requirement of a truly modern water closet combination. While moderate in price it is unsurpassed for efficiency in operation and is unusually quiet—much more so than most closets.

Plate No. 3142-T

"Te-pe-co" Two-Fire Vitreous China "Trentonian" Syphon Jet Closet and "Crestline" Tank with "Monitor" Flush Valve, Float Valve and Upper Left-Hand All-China Lever; complete with N. P. Brass No. 14 Gauge Supply Pipe, threaded $\frac{3}{8}$ -inch I. P. Size with Screw-driver Angle Stop to wall and China Wall Escutcheon; 2-inch O. D. Offset Flush Connection with China Casing; Church White Seat No. 425; China Bolt Caps.



Plate No. 3142-T

Plate No.	3131-T	3142-T
Length from wall to front (inches)	29	27 $\frac{1}{4}$
Width overall of tank (inches)	23 $\frac{5}{8}$	21 $\frac{1}{2}$
Height top of tank to floor (inches)	40	39 $\frac{3}{4}$



"Maynard" Closet Combination

From a standpoint of both sanitation and appearance the "Maynard" Closet Combination stands pre-eminent in the class of reverse trap syphon action closet combinations. Its positive strong, and thorough action, together with its clean-cut and carefully formed lines makes it a very desirable fixture for installations where a good, inexpensive closet combination is required.

Plate No. 3402-T

"Te-pe-co" Two-Fire Vitreous China "Maynard" Reverse Trap Syphon Action Closet with Auxiliary Jet and "Crestline" Tank with "Monitor" Flush Valve, Float Valve and Upper Left-Hand All-China Lever; complete with N. P. Brass No. 12 Gauge Supply Pipe threaded $\frac{3}{8}$ -inch I. P. Size with Screw-driver Angle Stop and China Wall Escutcheon; 2-inch N. P. Brass Elbow Connection; Church White Seat and Lid No. 425; China Bolt Caps.



Plate No. 3402-T

"Crestonia" Closet Combination

The "Crestonia" Closet Combination offers a pleasing departure from the usual plainness that is characteristic of most plumbing fixtures. Although of the simplest construction it embodies every essential requirement of a sanitary closet combination and carries the same guarantee of quality and durability as all "Te-pe-co" Fixtures.

Plate No. 3658-T

"Te-pe-co" Two-Fire Vitreous China "Saxonia" Syphon Action Closet and "Crestline" Tank with "Monitor" Flush Valve, Float Valve and Upper Left-Hand All-China Lever; complete with N. P. Brass No. 14 Gauge Supply Pipe threaded $\frac{3}{8}$ -inch I. P. Size with Screw-driver Angle Stop and China Wall Escutcheon; 2-inch N. P. Brass Elbow Connection; Church White Seat No. 425; China Bolt Caps.



Plate No. 3658-T

Plate No.	3402-T	3658-T
Length from wall to front (inches)	27	26½
Width overall of tank (inches)	21½	21½
Height top of tank to floor (inches)	38¼	38¼



Plate No. 4012-T

"Te-pe-co" Two-Fire Vitreous China "Welling" Top Supply Syphon Jet Closet; complete with Sloan C. P. Brass Flush Valve with 1-inch Union Angle Stop and Wall Escutcheon, 1½-inch Straight Flush Connection with China Oscillating Handle; Church White Seat and Lid; China Bolt Caps.



Plate No. 4040-T

"Te-pe-co" Two-Fire Vitreous China "Ritz" Syphon Jet Closet; complete with Sloan C. P. Brass Flush Valve with 1-inch Union Angle Stop and Wall Escutcheon, 1½-inch Straight Flush Connection and China Oscillating Handle; "Te-pe-co" All White Seat and Lid with China Post Caps; China Bolt Caps.



Plate No. 4043-T

"Te-pe-co" Two-Fire Vitreous "Weltonian" Syphon Jet Closet; complete with Sloan C. P. Brass Flush Valve with 1-inch Union Angle Stop and Wall Escutcheon, 1½-inch Straight Flush Connection and China Oscillating Handle; Extended Front White Seat and Lid with Chromium Plated Hinge; China Bolt Caps.



"Weltonian" Seat

The seat shown above is made especially for the elongated bowl of the "Weltonian" Closet, the opening of which, being fully two inches longer than the ordinary closet, provides the same sanitary advantages as the extended lip feature. As it is made to conform with the lines of the bowl, it eliminates the need of an open front seat and gives the closet the same appearance as an ordinary bowl.



Plate No. 4046-T

"Te-pe-co" Two Fire Vitreous China "Trentonian" Top Supply Syphon Jet Closet; complete with Sloan C. P. Brass Flush Valve with 1-inch Union Angle Stop and Wall Escutcheon, 1½-inch Flush Connection and China Oscillating Handle; Church White Seat No. 425; China Bolt Caps.



Plate No. 4047-T

"Te-pe-co" Two-Fire Vitreous China "Trentonian" Extended Front Top Supply Syphon Jet Closet; complete with Sloan C. P. Brass Flush Valve with 1-inch Union Angle Stop and Wall Escutcheon, 1½-inch Flush Connection and Oscillating Handle; Extended Front White Seat and Lid with Chromium Plated Hinge; China Bolt Caps.



Plate No. 4049-T

"Te-pe-co" Two-Fire Vitreous China "Trentonian" Extended Front Side Supply Syphon Jet Closet; complete with Sloan C. P. Brass Flush Valve with 1-inch Union Straight Stop and Wall Escutcheon, 1½-inch Elbow Flush Connection and China Oscillating Handle; "Whale-Bone-It" Serpentine Open Front and Back Seat with Mahogany Finish and C. P. Brass Hinge; China Bolt Caps.



Plate No. 4096-T

"Te-pe-co" Two-Fire Vitreous China "Hygieno" Syphon Jet Closet with "E-Zee" Seat Bowl; complete with Sloan C. P. Brass Flush Valve with 1-inch Union Angle Stop and Wall Escutcheon, 1½-inch Flush Connection and China Oscillating Handle; Extended Open Front and Back All-White "E-Zee" Seat, China Bolt Caps.

Height of Closet 10 inches.



Plate No. 4184-T

The "Alpha" Closet

The "Alpha" Closet is an extra heavy full syphon jet closet of the most improved form. It has an exceptionally strong, quick and thorough action, large water surface and deep seal. It also has an extra large passageway, measuring $2\frac{5}{8}$ inches x $2\frac{7}{8}$ inches or more at every point, which minimizes the possibility of clogging. For this reason, it is preferable to the ordinary syphon jet closet for installations in schools, factories, public comfort stations, and other places where closets are used to dispose of articles which they are not intended to pass.

Owing to its larger trapway, it cannot be operated with a low tank, but in connection with a flush valve it is equally as efficient in operation as any syphon jet closet.

As shown herewith, it can be furnished with either the round or extended front bowls, top or side supply, in both the regular and juvenile heights.

Plate No. 4184-T

"Te-pe-co" Two-Fire Vitreous China "Alpha" Top Supply Syphon Jet Closet; complete with Sloan C. P. Brass Flush Valve with 1-inch Union Angle Stop and Wall Escutcheon, $1\frac{1}{2}$ -inch Straight Flush Connection and China Oscillating Handle; Church White Seat and Lid; China Bolt Caps.

Plate No. 4185-T Same as Plate 4184-T with Extended Lip and Seat as shown in Plate No. 4187-T



Plate No. 4187-T

"Te-pe-co" Two-Fire Vitreous China "Alpha" Extended Front Side Supply Syphon Jet Closet; complete with Sloan C. P. Brass Flush Valve with 1-inch Union Straight Stop and Wall Escutcheon, $1\frac{1}{2}$ -inch Elbow Flush Connection and China Oscillating Handle; Church Serpentine Open Front and Back Black Seat with C. P. Hinge; China Bolt Caps.



Plate No. 4229-T

"Te-pe-co" Two-Fire Vitreous China "Maynard" Extended Lip; Side Supply Reverse Trap Syphon Action Closet with Auxiliary Jet; complete with Sloan N. P. Brass Flush Valve with 1-inch Union Straight Stop and Wall Escutcheon, $1\frac{1}{2}$ -inch Elbow Flush Connection and China Oscillating Handle; Whale-Bone-Itte Serpentine Open Front and Back Seat with Mahogany Finish and N. P. Cast Brass Hinge; China Bolt Caps.



The "Maynard" Closet

The "Maynard" Closet is our "Premier" reverse trap syphon action jet closet with a square foot.

With the exception of a full syphon jet closet such as our "Welling," which has a larger water surface and trapway, it is the best type of closet for hotels, apartments and private homes.

The "Saxonia" Closet

The "Saxonia" stands pre-eminent in the class of syphon action closets. Being made especially for installation with a flush valve it embodies the most improved form of syphon action closet with an auxiliary jet that co-ordinates the action of the valve and closet so as to secure the utmost efficiency in the operation of both.



Plate No. 4232-T

Plate No. 4232-T

"Te-pe-co" Two-Fire Vitreous China "Maynard" Back Supply Reverse Trap Syphon Action Closet with Auxiliary Jet; complete with Sloan C. P. Brass Flush Valve with 1-inch Union Angle Stop and Wall Escutcheon 1½-inch Elbow Flush Connection and China Oscillating Handle; Church White Seat and Lid No. 425; China Bolt Caps.



Plate No. 4380-T

"Te-pe-co" Two-Fire Vitreous China "Saxonia" Back Supply Syphon Action Closet with Auxiliary Jet; complete with Sloan C. P. Brass Flush Valve with 1-inch Union Angle Stop and Wall Escutcheon, 1½-inch Elbow Flush Connection and China Oscillating Handle; Church White Seat and Lid No. 425; China Bolt Caps.



Plate No. 4440-T

"Te-pe-co" Two-Fire Vitreous China "King Cotton" Back Supply Extra Heavy Washdown Closet; complete with Sloan C. P. Brass Flush Valve with 1-inch Union Angle Stop and Wall Escutcheon, 1½-inch Elbow Flush Connection and China Oscillating Handle; "Whale-Bone-Ite" Open Front and Back Seat with Mahogany Finish and C. P. Cast Brass Hinge, China Bolt Caps.



Plate No. 4523-T

"Te-pe-co" Two-Fire Vitreous China Juvenile "Speedway" Closet with Extended Front and Side Supply; complete with Sloan C. P. Brass Flush Valve with 1-inch Union Straight Stop and Wall Escutcheons, 1½-inch Elbow Flush Connection and China Oscillating Handle; Whale-Bone-It "Serpentine" Open Front and Back Seat with Mahogany Finish and C. P. Cast Brass Hinge, China Bolt Caps.



Plate No. 4531-T

"Te-pe-co" Two-Fire Vitreous China "Speedway" Closet with Extended Front and Back Supply; complete with Sloan Concealed Flush Valve with 1-inch Union Angle Stop, 1½-inch Elbow Connection and China Oscillating Handle through Wall; Whale-Bone-It "Serpentine" Open Front and Back Seat with Mahogany Finish and C. P. Cast Brass Hinge; China Bolt Caps.



Plate No. 4546-T

"Te-pe-co" Two-Fire Vitreous China "Angleton" Closet with Integral Seat, Back Supply and Back Outlet, complete with Sloan Concealed Flush Valve with 1-inch Union Angle Stop, 1½-inch Elbow Flush Connection and N. P. Brass Push Button through Wall; China Bolt Caps.



Plate No. 4613-T

"Te-pe-co" Two-Fire Vitreous China "Walclo" Extended Front Back Supply Ejector Closet on "Te-pe-co" Closet Carrier; complete with Sloan C. P. Brass Flush Valve with 1-inch Union Straight Stop and Wall Escutcheon, 1¼-inch I. P. Size Union Elbow Flush Connection and Operating Pedal; Whale-Bone-It "Serpentine" Open Front and Back Seat with Mahogany Finish and C. P. Cast Brass Hinge.



Plate No. 4926-T

"Te-pe-co" Two-Fire Vitreous China Bidet with Integral Overflow and Flushing Rim, fitted with Supply Fixture consisting of Hot and Cold Water Compression Valves with Four-Arm Solid China Handles and Escutcheons connected to Rim in Combination with Four-Arm Solid China Handle Bi-Pass Valve to Bidet; complete with Chromium Plated Brass Bidet Attachment for Jet, Rose and Hose Coupling; Pop-up Waste with China Knob and Escutcheon; $\frac{3}{8}$ -inch I. P. Size C. P. Brass Supply Pipes and Floor Escutcheons. All exposed brass above slab Chromium Plated.



Plate No. 4929-T

"Te-pe-co" Two-Fire Vitreous China Bidet with Integral Overflow and Flushing Rim; fitted with two Cold Water Compression Valves with Four-Arm Solid China Handles and Escutcheon, one to the Flushing Rim and the other to Chromium Plated Brass Bidet Connection with Attachments for Jet, Rose and Hose Coupling; complete with Pop-up Waste with China Knob and Escutcheon; $\frac{3}{8}$ -inch I. P. Size C. P. Brass Supply Pipes and Floor Escutcheons. All exposed brass above slab Chromium Plated.

The "Bellphone" Fountain

Projecting but ten inches from the wall, the "Bellphone" Fountain is of a very compact design which makes it especially suited for narrow corridors and other places where floor space is limited. In this fountain all metal parts have been removed from the bowl, the metal bubbler being replaced with an integral china nozzle and the waste strainer with a perforated outlet. The control handle is located outside of the bowl so one may operate it without wetting the hands. All other metal parts are concealed in the integral china housing, through which the self-closing supply valve is securely bolted.

Plate No. 5771-T

"Te-pe-co" Two-Fire Vitreous China "Bellphone" Drinking Fountain with Integral Angle Stream Nozzle and Overhanging Cowl; Integral China Perforated Outlet and Integral Back; fitted with C. P. Brass Self-Closing Valve with Ball-Bearing Rotary Handle and $\frac{3}{8}$ -inch I. P. Size Regulating Stop and Union, Waste Fitting and $1\frac{1}{4}$ -inch I. P. Size Extension for Connecting to Trap in Back of Wall; complete with C. P. Brass Wall Bolt and Flange Support.



Plate No. 5771-T

Size of fountain (inches) 10 x 7½



Plate No. 6551-T

Plate No. 6551-T

"Te-pe-co" Vitreous China "Penn" Blowout Urinal with Integral Extended Wings and Trap supported on Cast Iron Hanger; complete with Sloan C. P. Brass Flush Valve with $\frac{3}{4}$ -inch Union Angle Stop and Wall Escutcheon, $\frac{3}{4}$ -inch Straight Flush Connection and China Oscillating Handle; Rough Brass Outlet Connection Tapped for 2-inch I. P., China Bolt Caps.



Plate No. 6555-T

Plate No. 6555-T

"Te-pe-co" Vitreous China "Penn" Washout Urinal with Integral Extended Wings, Strainer and Trap supported on Cast Iron Hanger; complete with Sloan C. P. Brass Flush Valve with $\frac{3}{4}$ -inch Union Angle Stop and Wall Escutcheon, $\frac{3}{4}$ -inch Straight Flush Connection and China Oscillating Handle; Rough Brass Outlet Connection Tapped for 2-inch I. P., China Bolt Caps.

"Te-pe-co" Pedestal Urinal

This urinal has a spacious service area 11 inches wide by $16\frac{1}{2}$ inches long and an extra deep lip which carries the water surface well to the front, measuring 11 inches overall.


Its direct passageway, which is uniform in size and vertically inclined all the way from the dam of the trap to soil connection, will pass quickly anything that can enter it.



Plate No. 6627-T

Plate No. 6627-T

"Te-pe-co" Two-Fire Vitreous China Extended Lip Back Supply Syphon Jet Pedestal Urinal; complete with Sloan C. P. Brass Flush Valve with 1-inch Union Straight Stop and Wall Escutcheon, $1\frac{1}{4}$ -inch I. P. Size Union Elbow Flush Connection and Operating Pedal; China Bolt Caps.



Section of Plate No. 6627-T

Plate No.

Width of urinal (inches)
From wall to front (inches)

6551-T	6555-T	6627-T
18	18	14
13	13	$23\frac{1}{2}$

**Plate No. 7080-T**

"Te-pe-co" Porcelain "Trentonian" Double Compartment Sink with Integral Back and Center Partition, on Porcelain Pedestal Supports with Iron Straps to Wall; fitted with Artline C. P. Brass Combination Supply Fixture with Swinging Nozzle and Removable Soap Dish, C. P. Brass Waste Strainer in Left-hand Compartment and C. P. Brass Plug with Stopper in Right-hand Compartment, Two 1½-inch C. P. Cast Brass "P" Traps, China Wall Escutcheons. Reversible Suspended Ash Drain Board with Rim Supports.

**Plate No. 7305-T**

"Te-pe-co" Vitreous China Slop Sink with Integral Back on Enameled Cast Iron Adjustable "P" Trap tapped for 3-inch I. P. with N. P. Brass Cleanout and N. P. Brass Strainer; fitted with N. P. Brass ¾-inch I. P. Size Combination Compression Supply Fixture with China Indexed Handles and Long Nozzle with Pail Hook and Brace.

**Plate No. 7315-T**

"Te-pe-co" Vitreous China All-Roll Rim Slop Sink on Enameled Cast Iron Adjustable "P" Trap, tapped for 3-inch I. P. with N. P. Brass Clean-out and N. P. Brass Strainer; fitted with N. P. Brass ¾-inch I. P. Size Combination Compression Supply Fixture with China Indexed Handles and Long Nozzle with Pail Hook and Brace.

Plate No.	7080-T	7305-T	7315-T
Size of sink (inches)	60 x 26	24 x 22 22 x 20	24 x 20 22 x 18 20 x 16
Rim to floor (inches)	36	28	28
Height of back (inches)	7	13	13



Plate No. 8612-T

"Te-pe-co" Porcelain Plaster Sink; on "Te-pe-co" Chair Carrier; fitted with N. P. Brass Combination Compression Supply Fixture with $\frac{1}{2}$ -inch I. P. Size Union Couplings and Escutcheons, N. P. Brass Waste Strainer and Connection to Josam-Marsh White Enameled Grey Iron Plaster Interceptor and Trap for 2-inch I. P. with Removable Aluminum Cage and Brass Baffle Screens. Left-hand Ash Drain Board 24 inches long with N. P. Cast Brass Hinges, Catch and Telescopic Support.



Plate No. 8901-T



Plate No. 8920-T

"Te-pe-co" Vitreous China Pantry Sink with Extended Ledge Flat Rim for Framing and Tiling In; fitted with C. P. Brass Strainer and Coupling.

Plate No. 8901-T

"Te-pe-co" Porcelain Flower Sink with Integral Back and Drain Shelf on Porcelain Legs with Iron Straps to Wall; fitted with C. P. Brass Combination Supply Fixture with Long Swinging Nozzle Spray and $\frac{1}{2}$ -inch I. P. Size Compression Valves with China Indexed Handles and Union Couplings; C. P. Brass Open Strainer and Coupling; $1\frac{1}{2}$ -inch C. P. Cast Brass "P" Trap; China Wall Escutcheon.

Plate No.	8612-T	8901-T	8920-T
Length overall (inches)	37	37	30 20
Width overall (inches)	27	27	20 14
Height of back (inches)	$4\frac{1}{2}$	$4\frac{1}{2}$



Digitized by:



ASSOCIATION FOR PRESERVATION TECHNOLOGY

www.apti.org

For the

BUILDING TECHNOLOGY HERITAGE LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:



SOUTHEASTERN ARCHITECTURAL ARCHIVE
SPECIAL COLLECTIONS
HOWARD-TILTON MEMORIAL LIBRARY

<http://seaa.tulane.edu>